

Clinical Policy: Intensity Modulated Radiation Therapy (IMRT)

Reference Number: MC.CP.MP.69

Date of Last Revision: 02/26

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

This policy outlines the medical necessity criteria for intensity modulated radiation therapy (IMRT). It is intended for use by Medicare health plans affiliated with Centene Corporation® in Medicare Administrative Contractor (MAC) jurisdictions with an absence of full coverage criteria provided by the Centers for Medicare and Medicaid Services (CMS) and the applicable MAC. This criterion is sourced and supported by American Society for Radiation Oncology (ASTRO) Practice Parameters for Intensity Modulated Radiation Therapy (IMRT) as well as the National Comprehensive Cancer Network (NCCN) guidelines.

ASTRO guidelines are evidence- or consensus- based documents designed to assist medical professionals and patients in making appropriate and informed decisions about health screenings, prevention, and the treatment options for specific medical conditions. These documents are developed from the body of established literature complemented by expert opinion. NCCN guidelines are intended to guide decision making related to cancer screening, prevention, and supportive care for healthcare professionals as well as patients and caregivers. NCCN guidelines are continuously reviewed by a multidisciplinary panel of experts using the best available evidence and current recommendations in the cancer field.

Benefits of IMRT include sharper dose gradients than conventional or three-dimensional conformal radiation therapy, the sparing of nearby critical structures, and limited dose toxicity to select surrounding organs, which can be greatly beneficial to patients. Risks of IMRT include significant changes in the dose delivered to the PTV (Planning Target Volume) and risk to organs due to small changes in patient position or target position within the body. Using IMRT consistently with established guidelines offers the benefits of best-practice recommendations intended to reduce the potential risk of the treatment vs. alternatives or lack of treatment.

Note: For criteria applicable to non-Medicare plans, please see CP.MP.69 Intensity Modulated Radiation Therapy (IMRT).

Policy/Criteria

- I. It is the policy of Medicare health plans affiliated with Centene Corporation® that IMRT is **medically necessary** for **any** of the following indications:
 - A. Age < 18 years with a solid tumor;
 - B. Medically inoperable patient with diagnosis of cancer where dose escalation is required;⁴⁹
 - C. Primary malignant or benign bone tumors;⁴⁹
 - D. Re-irradiation (where cumulative critical structure dose would exceed tolerance dose);⁴⁹
 - E. Indications by cancer site may include any of the following:
 1. Central nervous system, any of the following:⁴⁹
 - a. Ocular tumors, including intraocular melanomas;
 - b. Tumors that approach or are located at the base of skull;

CLINICAL POLICY

Intensity Modulated Radiation Therapy (IMRT)

- c. Primary CNS tumors, primary spine, or metastatic tumors to the spine or spinal cord where organ at risk tolerance may be exceeded with 3-D conformal treatments;
- d. Primary and metastatic tumors requiring craniospinal irradiation;
- e. Brain metastases requiring hippocampal-sparing whole brain radiotherapy;
2. Head and neck, any of the following:⁴⁹
 - a. Definitive, adjuvant, or palliative treatment of primary/secondary head and neck cancers or draining lymphatics of the neck including (but not limited to) cancers of the nasopharynx, nasal cavity, paranasal sinuses, oropharynx, oral cavity, hypopharynx, larynx, thyroid, or salivary glands;
 - b. Cutaneous tumors with cranial nerve invasion to the base of skull, cavernous sinus, and/or brainstem;
 - c. Mucosal melanoma;
 - d. Occult (or unknown) primary malignancies of the head and neck;
3. Breast, any of the following:⁴⁹
 - a. Bilateral breast cancers requiring nodal treatment on at least one side;
 - b. Breast cancer patients being treated with definitive intent and who have unfavorable anatomy (e.g., pectus excavatum) that would deliver unacceptably high doses to organs-at-risk;
 - c. Early-stage breast cancer in which dose to the heart is unacceptably high with conventional photon or photon/electron using cardiac sparing techniques;
 - d. Accelerated partial breast irradiation (APBI), regardless of laterality;
 - e. Patients in whom internal mammary lymph nodes are targeted;
 - f. Breast cancer patients who have limited ipsilateral arm range of motion and require treatment in the arms down position;
 - g. Post-mastectomy radiotherapy when the patient has had bilateral implant-based reconstruction;
 - h. Whole breast radiotherapy in patients with bilateral augmentation implants;
4. Thoracic, any of the following:⁴⁹
 - a. Primary or secondary tumors of the mediastinum, including thymic tumors, mediastinal tumors, mediastinal lymphomas and thoracic sarcomas;
 - b. Early-stage lung cancer for which SBRT is not feasible secondary to anatomic considerations;
 - c. Locally advanced lung cancer in which IMRT significantly reduces dose to normal tissues (ex: bilateral mediastinal disease, paraspinal tumors, N3 disease, reducing esophageal dose);
 - d. Malignant pleural mesothelioma;
5. Gastrointestinal, any of the following:⁴⁹
 - a. Hepatocellular cancer, bile duct, gallbladder and cholangiocarcinoma cancers;
 - b. Primary cancers of the esophagus and gastroesophageal (GE) junction;
 - c. Abdominal malignancies, including primary pancreatic, gastric and adrenal cancers;
 - d. Primary and secondary liver cancers;
 - e. Anal and colorectal cancers;
6. Sarcomas, any of the following:⁴⁹
 - a. Retroperitoneal sarcomas;

CLINICAL POLICY

Intensity Modulated Radiation Therapy (IMRT)

- b. Desmoid tumors;
- c. Extremity sarcomas;
- 7. Pelvic/gynecological, any of the following:⁴⁹
 - a. Cervical cancer;
 - b. Vulvar and vaginal cancers;
 - c. Endometrial cancer;
- 8. Genitourinary, any of the following:⁴⁹
 - a. Prostate cancer;
 - b. Renal cancer;
 - c. Bladder cancer;
 - d. Penile cancer;
 - e. Ureteral cancer;

Note: The above indications are anatomical sites reported by ASTRO where IMRT is commonly performed but may not be an all-inclusive listing.⁴⁹

Background

IMRT changes the intensity of radiation in different parts of a single radiation beam while treatment is delivered. The dose of radiation given by each beam can also vary, enabling IMRT to simultaneously treat multiple areas within the target to different dose levels. Theoretical concerns about IMRT include dose inhomogeneity, additional time required for planning computation and quality assurance (QA) verification, and exposure of larger volumes of normal tissues to a lower dose of radiation.³⁻⁴

There were numerous studies done, including a multicenter, randomized, double-blind trial that indicated IMRT improved the homogeneity of the radiation dose distribution and decreased acute toxicity, when used for breast cancer.⁵⁻⁹

The National Comprehensive Cancer Network (NCCN) recommends IMRT in a number of cancer types, including cancers whose radiation treatment may affect organs or other critical structures at risk.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2024, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT® Codes	Description
77385	Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple

CLINICAL POLICY
Intensity Modulated Radiation Therapy (IMRT)

CPT® Codes	Description
77386	Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; complex
77301	Intensity modulated radiotherapy plan, including dose-volume histograms for target and critical structure partial tolerance specifications
77338	Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan

HCPCS Codes	Description
G6015	Intensity modulated treatment delivery, single or multiple fields/arcs, via narrow spatially and temporally modulated beams, binary, dynamic MLC, per treatment session
G6016	Compensator-based beam modulation treatment delivery of inverse planned treatment using three or more high resolution (milled or cast) compensator, convergent beam modulated fields, per treatment session

Reviews, Revisions, and Approvals	Revision Date	Approval Date
Original approval date	08/23	08/23
Annual review. Description updated with no impact to criteria. Added criteria I.B.8. Hodgkin’s and non-Hodgkin’s lymphoma in close proximity to critical structures; I.B.9. Select rectal cancer cases where there is lymph node involvement or require treatment of the inguinal lymph nodes; I.B.10. Soft tissue sarcoma when organ at risk dose constraints cannot be met. References reviewed and updated. Reviewed by external specialist.	04/24	04/24
Annual review. Edits to description and background with no impact on criteria. Removed I.A., B., and C., along with II.A. - E. Added I.A. - D, along with I.E.1. - 8. Added note "The above indications.....all-inclusive listing". Updated CPT codes. References reviewed and updated.	02/25	02/25
In the policy description, noted the policy intention is “for use by Medicare health plans affiliated with Centene Corporation® in Medicare Administrative Contractor (MAC) jurisdictions with an absence of full coverage criteria provided by the Centers for Medicare and Medicaid Services (CMS) and the applicable MAC.”	12/25	
Annual revision. I.E.6.c. changed from “endometrial cancer” to “extremity sarcoma.” Reviewed codes and descriptions. References reviewed and updated. Reviewed by external specialist.	02/26	02/26

References

1. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2026 Hodgkin Lymphoma. https://www.nccn.org/professionals/physician_gls/pdf/hodgkins.pdf. Updated October 22, 2025. Accessed January 2, 2026.

CLINICAL POLICY**Intensity Modulated Radiation Therapy (IMRT)**

2. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 1.2026 B-Cell Lymphomas. https://www.nccn.org/professionals/physician_gls/pdf/b-cell.pdf. Updated December 22, 2025. Accessed January 2, 2026.
3. Koyfman SA. General principles of radiation therapy for head and neck cancer. UpToDate. www.uptodate.com. Updated October 2, 2025. Accessed January 2, 2026.
4. Mitin T. Radiation therapy techniques in cancer treatment. UpToDate. www.uptodate.com. Updated February 26, 2025. Accessed January 2, 2026.
5. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 1.2025 Uterine Neoplasms. https://www.nccn.org/professionals/physician_gls/pdf/uterine.pdf. Updated November 14, 2025. Accessed December 30, 2025.
6. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 1.2026 Vulvar Cancer. https://www.nccn.org/professionals/physician_gls/pdf/vulvar.pdf. Updated **November 7**, 2025. Accessed December 30, 2025.
7. National Cancer Institute (NCI). ATC guidelines for use of IMRT (including intra-thoracic treatments). May 2006. Accessed December 31, 2025.
8. Donovan E, Bleakley N, Denholm E, et al. Randomised trial of standard 2D radiotherapy (RT) versus intensity modulated radiotherapy (IMRT) in patients prescribed breast radiotherapy. *Radiother Oncol*. 2007;82(3):254 to 264. doi:10.1016/j.radonc.2006.12.008
9. McDonald MW, Godette KD, Butker EK, Davis LW, Johnstone PA. Long-term outcomes of IMRT for breast cancer: a single-institution cohort analysis. *Int J Radiat Oncol Biol Phys*. 2008;72(4):1031 to 1040. Doi:10.1016/j.ijrobp.2008.02.053
10. Gebhardt MC, Baldini EH, Ryan CW. Overview of multimodality treatment for primary soft tissue sarcoma of the extremities and superficial trunk. UpToDate. www.uptodate.com. Updated June 28, 2024. Accessed December 30, 2025.
11. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 5.2025 Breast cancer. https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf. Updated October 16, 2025. Accessed December 31, 2025.
12. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 1.2025 Cervical Cancer. https://www.nccn.org/professionals/physician_gls/pdf/cervical.pdf. Updated November 10, 2025. Accessed December 31, 2025.
13. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 1.2025 Prostate Cancer. https://www.nccn.org/professionals/physician_gls/pdf/prostate.pdf. Updated December 4, 2025. Accessed December 31, 2025.
14. Sheets NC, Goldin GH, Meyer AM, et al. Intensity-modulated radiation therapy, proton therapy, or conformal radiation therapy and morbidity and disease control in localized prostate cancer. *JAMA*. 2012;307(15):1611 to 1620. doi:10.1001/jama.2012.460
15. Staffurth J; Radiotherapy Development Board. A review of the clinical evidence for intensity-modulated radiotherapy. *Clin Oncol (R Coll Radiol)*. 2010;22(8):643 to 657. doi:10.1016/j.clon.2010.06.013
16. Su JM. Intracranial germ cell tumors. UpToDate. www.uptodate.com. Updated May 23, 2025. Accessed December 30, 2025.
17. National Comprehensive Cancer Network[®]. NCCN Guidelines Version 3.2025 Central Nervous System Cancers. https://www.nccn.org/professionals/physician_gls/pdf/cns.pdf. Updated December 5, 2025. Accessed December 31, 2025.

CLINICAL POLICY**Intensity Modulated Radiation Therapy (IMRT)**

18. National Comprehensive Cancer Network®. NCCN Guidelines Version 5.2025 Anal Carcinoma. https://www.nccn.org/professionals/physician_gls/pdf/anal.pdf. Updated October 31, 2025. Accessed December 31, 2025.
19. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2026 Gastric Cancer. https://www.nccn.org/professionals/physician_gls/pdf/gastric.pdf. Updated December 12, 2025. Accessed January 2, 2026.
20. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2025 Head and Neck Cancers. https://www.nccn.org/professionals/physician_gls/pdf/head-and-neck.pdf. Updated December 8, 2025. Accessed January 2, 2026.
21. National Comprehensive Cancer Network®. NCCN Guidelines Version 4.2024 Thyroid Carcinoma. https://www.nccn.org/professionals/physician_gls/pdf/thyroid.pdf. Updated March 27, 2025. Accessed January 2, 2026.
22. DiBiase SJ, Roach M. External beam radiation therapy for localized prostate cancer. UpToDate. www.uptodate.com. Updated May 30, 2025. Accessed December 30, 2025.
23. Galloway T, Amdur RJ. Management and prevention of complications during initial treatment of head and neck cancer. UpToDate. www.uptodate.com. Updated August 1, 2024. Accessed December 30, 2025.
24. Gray HJ. Adjuvant treatment of intermediate-risk endometrial cancer. UpToDate. www.uptodate.com. Updated July 31, 2024. Accessed December 30, 2025.
25. Karajannis MA, Marcus KJ. Focal brainstem glioma. UpToDate. www.uptodate.com. Updated September 24, 2024. Accessed December 30, 2025.
26. MacKay RI, Staffurth J, Poynter A, Routsis D; Radiotherapy Development Board. UK guidelines for the safe delivery of intensity-modulated radiotherapy. *Clin Oncol (R Coll Radiol)*. 2010;22(8):629 to 635. doi:10.1016/j.clon.2010.06.017
27. Pignol JP, Olivetto I, Rakovitch E, et al. A multicenter randomized trial of breast intensity-modulated radiation therapy to reduce acute radiation dermatitis. *J Clin Oncol*. 2008;26(13):2085 to 2092. doi:10.1200/JCO.2007.15.2488
28. Rusthoven KE, Carter DL, Howell K, et al. Accelerated partial-breast intensity-modulated radiotherapy results in improved dose distribution when compared with three-dimensional treatment-planning techniques. *Int J Radiat Oncol Biol Phys*. 2008;70(1):296 to 302. doi:10.1016/j.ijrobp.2007.08.047
29. Dagan R, Amdur RJ, Yeung AR, Dziegielewska PT. Tumors of the nasal cavity. UpToDate. www.uptodate.com. Updated July 30, 2025. Accessed December 30, 2025
30. Chino J, Annunziata CM, Beriwal S, et al. Radiation Therapy for Cervical Cancer: Executive Summary of an ASTRO Clinical Practice Guideline. *Pract Radiat Oncol*. 2020;10(4):220 to 234. doi:10.1016/j.ppro.2020.04.002
31. Hui EP, Chan AT, Le QT. Treatment of early and locoregionally advanced nasopharyngeal carcinoma. UpToDate. www.uptodate.com. Updated August 13, 2025. Accessed December 30, 2025.
32. Ryan DP, Willett CG. Treatment of anal cancer. UpToDate. www.uptodate.com. Updated December 9, 2025. Accessed December 30, 2025.
33. Loeffler JS. Overview of the treatment of brain metastases. UpToDate. www.uptodate.com. Updated September 4, 2025. Accessed December 30, 2025.
34. Peikert T, Owen D. Radiation-induced lung injury. UpToDate. www.uptodate.com. Updated May 5, 2025. Accessed December 30, 2025.

CLINICAL POLICY

Intensity Modulated Radiation Therapy (IMRT)

35. Marks LB, Constine LS, Adams MJ. Cardiotoxicity of radiation therapy for breast cancer and other malignancies. UpToDate. www.uptodate.com. Updated July 21, 2025. Accessed December 30 2025.
36. Butler-Xu YS, Marietta M, Zahra A, TenNapel M, Mitchell M. The effect of breast volume on toxicity using hypofractionated regimens for early stage breast cancer for patients. *Adv Radiat Oncol.* 2018;4(2):261 to 267. Published 2018 Nov 1. doi:10.1016/j.adro.2018.10.005
37. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2025. Pancreatic Adenocarcinoma. https://www.nccn.org/professionals/physician_gls/pdf/pancreatic.pdf. Updated February 3, 2025. Accessed January 2, 2026.
38. Livi L, Meattini I, Marrazzo L, et al. Accelerated partial breast irradiation using intensity-modulated radiotherapy versus whole breast irradiation: 5-year survival analysis of a phase 3 randomised controlled trial. *Eur J Cancer.* 2015;51(4):451 to 463. doi:10.1016/j.ejca.2014.12.013
39. Meattini I, Marrazzo L, Saieva C, et al. Accelerated Partial-Breast Irradiation Compared With Whole-Breast Irradiation for Early Breast Cancer: Long-Term Results of the Randomized Phase III APBI-IMRT-Florence Trial. *J Clin Oncol.* 2020;38(35):4175 to 4183. doi:10.1200/JCO.20.00650
40. National Comprehensive Cancer Network®. NCCN Guidelines Version 3.2026. Non-Small Cell Lung Cancer. https://www.nccn.org/professionals/physician_gls/pdf/nscl.pdf. Updated December 24, 2025. Accessed January 2, 2026.
41. National Comprehensive Cancer Network®. NCCN Guidelines Version 5.2024. Esophageal and Esophagogastric Junction Cancers. https://www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf. Updated December 10, 2025. Accessed January 2, 2026.
42. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2026. Thymomas and Thymic Carcinomas. https://www.nccn.org/professionals/physician_gls/pdf/thymic.pdf. Updated October 3, 2025. Accessed January 2, 2026.
43. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2025. T-Cell Lymphomas. https://www.nccn.org/professionals/physician_gls/pdf/t-cell.pdf. Updated December 9, 2025. Accessed January 2, 2026.
44. American College of Radiology Appropriateness Criteria. Adjuvant Management of Early Stage Endometrial Cancer. Accessed January 2, 2026. <https://acsearch.acr.org/docs/3097398/Narrative>
45. National Comprehensive Cancer Network®. NCCN Guidelines Version 4.2025 Rectal Cancer. https://www.nccn.org/professionals/physician_gls/pdf/rectal.pdf. Updated October 31, 2025. Accessed January 2, 2026.
46. National Comprehensive Cancer Network®. NCCN Guidelines Version 1.2025 Soft Tissue Sarcoma. https://www.nccn.org/professionals/physician_gls/pdf/sarcoma.pdf. Updated May 2, 2025. Accessed January 2, 2026.
47. Iyengar P, All S, Berry MF, et al. Treatment of Oligometastatic Non-Small Cell Lung Cancer: An ASTRO/ESTRO Clinical Practice Guideline. *Pract Radiat Oncol.* 2023;13(5):393-412. doi:10.1016/j.prro.2023.04.004
48. Harkenrider MM, Abu-Rustum N, Albuquerque K, et al. Radiation Therapy for Endometrial Cancer: An American Society for Radiation Oncology Clinical Practice Guideline. *Pract Radiat Oncol.* 2023;13(1):41-65. doi:10.1016/j.prro.2022.09.002

CLINICAL POLICY**Intensity Modulated Radiation Therapy (IMRT)**

49. ASTRO Model Policies- Intensity Modulated Radiation Therapy (IMRT). <https://www.astro.org/ASTRO/media/ASTRO/Daily%20Practice/PDFs/IMRTMP.pdf>. Updated June 30, 2024. Accessed December 31, 2025.
50. Hua CH, Mascia AE, Seravalli E, Lomax AJ, Seiersen K, Ulin K. Advances in radiotherapy technology for pediatric cancer patients and roles of medical physicists: COG and SIOP Europe perspectives. *Pediatr Blood Cancer*. 2021 May;68 Suppl 2(Suppl 2): e28344. doi: 10.1002/pbc.28344. PMID: 33818892; PMCID: PMC8030241.
51. Local coverage determination: Radiation Therapies (L39553). Centers for Medicare and Medicaid Services Web site. <http://www.cms.hhs.gov/mcd/search.aspx> Published December 3, 2023 (revised December 18, 2025). Accessed January 6, 2025.
52. National coverage determination: Radiation Therapies (A59350). Centers for Medicare and Medicaid Services Web site. <http://www.cms.hhs.gov/mcd/search.aspx> Published December 3, 2023 (revised December 18, 2025). Accessed January 6, 2025.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible

CLINICAL POLICY

Intensity Modulated Radiation Therapy (IMRT)

for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

Note: For Medicaid members/enrollees, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members/enrollees, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2023 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.